L Number	Hits	Search Text	DB	Time stamp
2	219	((associative adj3 set? or way? or field? or bit?) with (disable or disabled or disabling)) same cache	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:30
3	229	((associative adj3 set? or way? or field? or bit?) with (disable or disabled or disabling)) same (cach$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:30
4	3	((microinstruction or microcode or micro-instruction) near4 cach$3) with (disabl$3 or power adj down or powered adj down or powered adj off)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:34
5	1	(((associative adj3 set? or way? or field? or bit?) with (disable or disabled or disabling)) same (cach$3)) and (((microinstruction or microcode or micro-instruction) near4 cach$3) with (disabl$3 or power adj down or powered adj down or powered adj off))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:33
6	339	((microinstruction or microcode or micro-instruction) near4 cach$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:39
7	7	(((associative adj3 set? or way? or field? or bit?) with (disable or disabled or disabling)) same (cach$3)) and (((microinstruction or microcode or micro-instruction) near4 cach$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:34
8	13984	microinstruction or microcode or micro-instruction	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:39
9	1775	((disabl$3 or turn-off or turn adj off or shut adj down) with cache)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:39
10	41	(microinstruction or microcode or micro-instruction) same (((disabl$3 or turn-off or turn adj off or shut adj down) with cache))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:39
11	11207860	@ad<20001228	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:40
12	35	((microinstruction or microcode or micro-instruction) same (((disabl$3 or turn-off or turn adj off or shut adj down) with cache))) and @ad<20001228	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:40
13	11	5325507.URPN.	USPAT	2004/09/15 18:48
14	1		USPAT	2004/09/15 18:49
15	1		USPAT	2004/09/15 18:50
16	1		USPAT	2004/09/15 18:51
17	26	4357656.URPN.	USPAT	2004/09/15 18:51
19	478	711/128.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:54
20	379	711/136.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:54
21	749	711/133.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:54
22	669	711/156.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:54

23	765	713/320.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:55
24	541	713/322.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:55
25	520	713/324.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:55
26	269	((power adj control) or (power$3 adj down) or (conserv$3 adj power)) with cache	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:56
27	2	(microinstruction or microcode or micro-instruction) same (((power adj control) or (power$3 adj down) or (conserv$3 adj power)) with cache)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:56
28	1775	((disabl$3 or turn-off or turn adj off or shut adj down) with cache)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:57
29	41	(microinstruction or microcode or micro-instruction) same (((disabl$3 or turn-off or turn adj off or shut adj down) with cache))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:57
30	35	@ad<20001228 and ((microinstruction or microcode or micro-instruction) same (((disabl$3 or turn-off or turn adj off or shut adj down) with cache)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 18:57
18	1607	711/154.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 19:02
31	2012	711/128.ccls. or 711/136.ccls. or 711/133.ccls. or 711/156.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 19:02
32	1519	713/320.ccls. or 713/322.ccls. or 713/324.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 19:02
33	1969	(((disabl$3 or turn-off or turn adj off or shut adj down) with cache)) or (((power adj control) or (power$3 adj down) or (conserv$3 adj power)) with cache)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 19:03
34	176	(711/128.ccls. or 711/136.ccls. or 711/133.ccls. or 711/156.ccls.) and ((((disabl$3 or turn-off or turn adj off or shut adj down) with cache)) or (((power adj control) or (power$3 adj down) or (conserv$3 adj power)) with cache))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 19:03
35	75	(713/320.ccls. or 713/322.ccls. or 713/324.ccls.) and ((((disabl$3 or turn-off or turn adj off or shut adj down) with cache)) or (((power adj control) or (power$3 adj down) or (conserv$3 adj power)) with cache))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 19:03
36	246	((711/128.ccls. or 711/136.ccls. or 711/133.ccls. or 711/156.ccls.) and ((((disabl$3 or turn-off or turn adj off or shut adj down) with cache)) or (((power adj control) or (power$3 adj down) or (conserv$3 adj power)) with cache))) or ((713/320.ccls. or 713/322.ccls. or 713/324.ccls.) and ((((disabl$3 or turn-off or turn adj off or shut adj down) with cache)) or (((power adj control) or (power$3 adj down) or (conserv$3 adj power)) with cache)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/15 19:03

| 37 | 30 | (microinstruction or microcode or micro-instruction) and (((711/128.ccls. or 711/136.ccls. or 711/133.ccls. or 711/156.ccls.) and ((((disabl$3 or turn-off or turn adj off or shut adj down) with cache)) or (((power adj control) or (power$3 adj down) or (conserv$3 adj power)) with cache))) or ((713/320.ccls. or 713/322.ccls. or 713/324.ccls.) and ((((disabl$3 or turn-off or turn adj off or shut adj down) with cache)) or (((power adj control) or (power$3 adj down) or (conserv$3 adj power)) with cache)))) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/09/15 19:03 |
| 38 | 29 | @ad<20001228 and ((microinstruction or microcode or micro-instruction) and (((711/128.ccls. or 711/136.ccls. or 711/133.ccls. or 711/156.ccls.) and ((((disabl$3 or turn-off or turn adj off or shut adj down) with cache)) or (((power adj control) or (power$3 adj down) or (conserv$3 adj power)) with cache))) or ((713/320.ccls. or 713/322.ccls. or 713/324.ccls.) and ((((disabl$3 or turn-off or turn adj off or shut adj down) with cache)) or (((power adj control) or (power$3 adj down) or (conserv$3 adj power)) with cache))))) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/09/15 19:03 |

-	2	power with cache with ((microinstruction or micro-instruction) or uop)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:05
-	1101	711/154.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:15
-	370	711/128.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:15
-	318	711/136.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:15
-	556	711/133.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:15
-	462	711/156.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:15
-	539	713/320.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:16
-	434	713/322.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:16
-	419	713/324.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:16
-	2	power with cache with ((microinstruction or micro-instruction) or uop)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:05
-	422	((disabl$3 or turn-off or turn adj off or shut adj down) with cache) same instruction	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:06
-	244	((power adj control) or (power$3 adj down) or (conserv$3 adj power)) with cache	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:07
-	7	(((disabl$3 or turn-off or turn adj off or shut adj down) with cache) same instruction) and (((power adj control) or (power$3 adj down) or (conserv$3 adj power)) with cache)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:07
-	1331	tag adj write or tag adj read or tag adj inquiry	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:08
-	36	(((disabl$3 or turn-off or turn adj off or shut adj down) with cache) same instruction) and (tag adj write or tag adj read or tag adj inquiry)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:08
-	11193401	@ad<20001228	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:09
-	35	((((disabl$3 or turn-off or turn adj off or shut adj down) with cache) same instruction) and (tag adj write or tag adj read or tag adj inquiry)) and @ad<20001228	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:09

–	10509	(microinstruction or micro-instruction) or uop	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:13
–	33	(((disabl$3 or turn-off or turn adj off or shut adj down) with cache) same instruction) and ((microinstruction or micro-instruction) or uop)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:13
–	31	@ad<20001228 and (((disabl$3 or turn-off or turn adj off or shut adj down) with cache) same instruction) and ((microinstruction or micro-instruction) or uop))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/31 20:50
–	3056	way with (disable or disabled)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/31 20:48
–	2	(((((disabl$3 or turn-off or turn adj off or shut adj down) with cache) same instruction) and ((microinstruction or micro-instruction) or uop)) and (way with (disable or disabled))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:14
–	0	(@ad<20001228 and (((((disabl$3 or turn-off or turn adj off or shut adj down) with cache) same instruction) and ((microinstruction or micro-instruction) or uop))) and (way with (disable or disabled))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:14
–	28	(tag adj write or tag adj read or tag adj inquiry) and (way with (disable or disabled))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:15
–	4	(((disabl$3 or turn-off or turn adj off or shut adj down) with cache) same instruction) and ((tag adj write or tag adj read or tag adj inquiry) and (way with (disable or disabled)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:15
–	1449	711/154.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:15
–	445	711/128.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:15
–	360	711/136.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:15
–	666	711/133.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:15
–	604	711/156.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:15
–	678	713/320.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:16
–	498	713/322.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:16
–	485	713/324.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/25 15:16
–	217	((way? or field? or bit?) with (disable or disabled or disabling)) same cache	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/31 20:49

-	58	((way? or field?) with (disable or disabled or disabling)) same cache	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/31 20:50
-	11206741	@ad<20001228	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/31 20:50
-	39	(((way? or field?) with (disable or disabled or disabling)) same cache) and @ad<20001228	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/31 20:50
-	4	(US-5805907-$ or US-5870616-$ or US-6185657-$ or US-6684298-$).did.	USPAT	2004/08/31 21:05
-	216	microinstruction? same cache	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/02 15:47
-	102	microinstruction? with cache	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/02 15:48
-	29	microinstruction adj cache	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/02 15:50
-	11206744	@ad<20001228	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/02 15:50
-	12	(microinstruction adj cache) and @ad<20001228	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/07 14:17
-	4	(US-6697933-$ or US-6484254-$ or US-6357016-$ or US-4761733-$).did.	USPAT	2004/09/02 16:01
-	295	((microinstruction or microcode or micro-instruction) near4 cach$3) and @ad<20001228	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/07 14:19
-	305	((microinstruction or microcode or micro-instruction) near4 way)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/07 14:20
-	45	(((microinstruction or microcode or micro-instruction) near4 cach$3) and @ad<20001228) and (((microinstruction or microcode or micro-instruction) near4 way))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/07 14:20